


**PLEASURECRAFT**




**H U L L**

A N O D E S


# GROUPE



	PID	LB	KG		L	W	H	UPC
Al	CMGROUPEA	2.64	1.20	mm	195.6	74.2	48.1	6 28309 12219 5
Mg	CMGROUPEM	1.89	0.86					6 28309 12368 0
Zn	CMGROUPE	5.88	2.67	in	7.70	2.92	1.89	6 28309 10514 3



**\* IMPORTANT\* Do not connect to battery**



**HULL ANODES**

Choose  
Aluminum

**Al premium**  
SALT AND BRACKISH WATER

Anodes for  
salt and brackish  
water and  
Magnesium


**Mg fresh**  
FRESH WATER ONLY  
for freshwater.

## BONDING KIT / hardware included

	PID	LB	KG	Contains		L	W	W1	H	D	D1	UPC
Al	CMDIVERBONDA	4	1.82	CMDIVERA×1 BAGDIVERBONDA×1	mm	305	152	13	13	140	89	6 28309 12284 3
Zn	CMDIVERBONDZ	8.04	3.65		in	12	6	0.5	0.5	5.5	3.5	6 28309 24725 6

Please Note: It is strongly recommended that this anode kit be installed by a certified marine technician.

**Legal Disclaimer: CMP is not liable for any damages resulting from improper installation of this kit and its contents.**




**Martyr**  
HULL ANODES

## DIVER'S DREAM MINI


	PID	LB	KG		L	W	W1	H	D	D1	UPC
Al	CMDIVERMINIA	1.058	0.480	mm	150	99	11	13	69	35	6 28309 12375 8
Mg	CMDIVERMINIM	0.793	0.360								6 28309 11506 7
Zn	CMDIVERMINI	2.231	1.012	in	5.9	3.9	0.44	0.5	2.7	1.36	6 28309 11338 4

**BOLT-ON**

**SEE PART ID: CMDIVERMINIHZ FOR A HEAVIER VERSION**




## DIVER'S DREAM



	PID	LB	KG		L	W	H	D	D1	W1	UPC
Al	CMDIVERA	3.48	1.58	mm	304	152	13	140	89	13	6 28309 10183 1
Mg	CMDIVERM	2.50	1.14								6 28309 11507 4
Zn	CMDIVERZ	7.52	3.41	in	12	6	0.5	5.5	3.5	0.5	6 28309 11365 0




## DIVER'S DREAM HEAVY DUTY




	PID	LB	KG		L	W	H	D	D1	W1	UPC
Al	CMDIVERHA	6.129	2.780	mm	304	152	25	140	89	13	6 28309 18990 7
Mg	CMDIVERHM	4.219	1.914								6 28309 19000 2
Zn	CMDIVERHZ	14.552	6.601	in	12	6	1	5.5	3.5	0.5	6 28309 18981 5

DOUBLE THE WEIGHT OF CMDIVER



	PID	LB	KG		L	W	H	D	D1	W1	UPC
Al	CMDIVERMINIHA	1.96	0.89	mm	149.86	99.06	25.4	68.58	34.54	11.17	6 28309 24694 5
Mg	CMDIVERMINIHM	1.37	0.62								6 28309 24695 2
Zn	CMDIVERMINIHZ	4.65	2.11	in	5.9	3.9	1	2.7	1.36	0.44	6 28309 24693 8


BOLT-ON DIVERMINI HEAVY PLATE  
DOUBLE THE WEIGHT OF CMDIVERMINI





	PID	LB	KG		L	W	W1	H	D	D1	D2	D3	UPC
Al	CMZ10A	3.850	1.746	mm	304	152	13	13	114	64	36	76	6 28309 19152 8
Mg	CMZ10M	2.400	1.088										6 28309 19247 -
Zn	CMZ10Z	9.855	4.470	in	12	6	0.5	0.6	1.5	2.5	1.42	3	6 28309 13020 6



# HULL ANODES




	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMM24A	0.247	0.112	mm	111	49	18.5	32	6	6 28309 12376 5
Mg	CMM24M	0.152	0.069							6 28309 24353 1
Zn	CMM24	0.639	0.290	in	4.36	1.92	0.73	1.25	0.25	6 28309 10679 9





	PID	LB	KG		L	W	H	D	D1	ID	UPC
Al	CMM25A	1.292	0.586	mm	231	83	18	98	46	7	6 28309 12377 2
Mg	CMM25M	0.822	0.373								6 28309 24354 8
Zn	CMM25	3.390	1.538	in	9.08	3.25	0.72	3.86	1.81	0.29	6 28309 10680 5



	PID	LB	KG		L	W	H	D	D1	D2	ID	UPC
Al	CMM30A	0.745	0.338	mm	154	68	14	121	118	40	6	6 28309 12378 9
Mg	CMM30M	0.469	0.213									6 28309 24355 5
Zn	CMM30	1.916	0.869	in	6.06	2.67	0.56	4.75	4.62	1.58	0.25	6 28309 10681 2




	PID	LB	KG		L	W	H	D1	D2	ID	UPC
Al	CMM40A	0.815	0.370	mm	186	66	13	44	35	7	6 28309 12379 6
Mg	CMM40M	0.529	0.240								6 28309 24356 2
Zn	CMM40	2.094	0.950	in	7.3	2.6	0.5	1.75	1.38	0.25	6 28309 10682 9




**Martyr**  
HULL ANODES


# HULL ANODES




	PID	LB	KG		L	W	H	ID	UPC
Al	CMMZ404A	1.480	0.671	mm	224	86	19	10	6 28309 12380 2
Mg	CMMZ404M	0.950	0.431						6 28309 18507 7
Zn	CMMZ404	3.750	1.701	in	8.8	3.38	0.75	0.38	6 28309 11339 1



	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMMZC406A	3.280	1.487	mm	229	112	25	127	13	6 28309 12381 9
Mg	CMMZC406M	2.140	0.970							6 28309 17620 4
Zn	CMMZC406	8.150	3.696	in	9	4.4	1	5	0.5	6 28309 11340 7




	PID	LB	KG		L	W	H	ID	UPC
Al	CMN1A	0.990	0.449	mm	216	80	13	10	6 28309 12347 5
Mg	CMN1M	0.626	0.284						6 28309 24357 9
Zn	CMN1Z	2.580	1.170	in	8.5	3.15	0.5	0.41	6 28309 12348 2



	PID	LB	KG		L	W	H	ID	UPC
Al	CMN1HA	1.892	0.858	mm	219	84	25.4	10	6 28309 27439 9
Mg	CMN1HM	1.206	0.547						6 28309 27440 5
Zn	CMN1HZ	4.904	2.224	in	8.63	3.31	1	0.4	6 28309 27438 2

**NEW PRODUCTS**

**HULL ANODES**



	PID	LB	KG		L	W	H	ID	UPC
Al	CMPMWA	0.78	0.35	mm	114	64	17		6 28309 12558 5
Mg	CMPMWM	0.60	0.27						6 28309 24363 0
Zn	CMPMWZ	2.00	0.91	in	4.5	2.5	0.65		6 28309 11266 0
Al	CMPNWA	1.26	0.57	mm	152	76	19		6 28309 12559 2
Mg	CMPNWM	0.97	0.44						6 28309 24374 6
Zn	CMPNWZ	3.25	1.48	in	6	3	0.75		6 28309 11268 4
Al	CMPOWA	1.70	0.77	mm	152	102	19		6 28309 12560 8
Mg	CMPOWM	1.15	0.52						6 28309 24376 0
Zn	CMPOWZ	4.38	1.99	in	6	4	0.75		6 28309 11270 7
Al	CMPPWA	3.590	1.628	mm	229	127	20		6 28309 12561 5
Mg	CMPPWM	2.300	1.043						6 28309 24377 7
Zn	CMPPWZ	9.250	4.195	in	9	5	0.8		6 28309 11272 1



Choose  
Aluminum


**Al premium**  
SALT AND BRACKISH WATER

Anodes for  
salt and brackish  
water and  
Magnesium



**Mg fresh**  
FRESH WATER ONLY  
for freshwater.

## HULL ANODES


	PID	LB	KG		L	W	H	D	D1	ID	UPC
Al	CMAC073A	0.392	0.178	mm	110	67	21	39	27	6	6 28309 23532 1
Mg	CMAC073M	0.251	0.114	in	4.3	2.6	0.8	1.54	1.1	0.22	6 28309 23533 8
Zn	CMAC073Z	1.020	0.463								6 28309 23534 5



	PID	LB	KG		L	W	H	D	D1	ID	ID1	UPC
Al	CMPO029A	0.86	0.39	mm	122	81	20	69	35	9	6	6 28309 24246 6
Mg	CMPO029M	0.54	0.24	in	4.8	3.2	0.8	2.7	1.38	0.33	0.24	6 28309 24375 3
Zn	CMPO029Z	2.20	1.00									6 28309 24143 8





	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMCH006A	0.145	0.066	mm	120	35	10	51	7	6 28309 23598 7
Mg	CMCH006M	0.092	0.042	in	4.7	1.4	0.4	2	0.28	6 28309 23599 4
Zn	CMCH006Z	0.381	0.173							6 28309 23600 7



### CHRYSLER SERIES

	PID	LB	KG		L	W	H	D	D1	ID	UPC
Zn	CMZH470Z	4.30	1.95	mm	395	37	30	48	145	25	6 28309 24153 7
				in	15.5	1.5	1.2	1.9	5.7	1.0	

### ZINC PLATE FOR FAST HULLS




	PID	LB	KG		L	W	H	D	ID	UPC
Zn	CMZH058Z	Contact us for more info		mm	910	45	12	380	9	6 28309 24152 0
				in	35.7	1.8	0.5	15.0	0.35	
Zn	CMZH058NZ	Contact us for more info		mm	900	45	15	380	9	6 28309 24151 3
				in	35.7	1.8	0.6	15.0	0.35	


### ZINC PLATE FOR HYDROFOIL AND FAST HULLS

**Martyr**  
HULL ANODES


# HULL ANODES





	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMT20A	0.141	0.064	mm	86	46	15	33	6	6 28309 12398 7
Mg	CMT20M	0.090	0.041							6 28309 12191 4
Zn	CMT20	0.370	0.168	in	3.4	1.8	0.6	1.28	0.25	6 28309 10358 3
Al	CMT21A	0.374	0.170	mm	129	51	21	41	8	6 28309 12396 3
Mg	CMT21M	0.242	0.110							6 28309 24385 2
Zn	CMT21	0.992	0.450	in	5	2	0.8	1.63	0.31	6 28309 10358 3



	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMZ24BSA	8.400	3.810	mm	356	159	32	127	13	6 28309 12563 9
Mg	CMZ24BSM	5.100	2.313							6 28309 24414 9
Zn	CMZ24BSZ	21.00	9.525	in	14	6.25	1.25	5	0.5	6 28309 12482 3



	PID	LB	KG		L	W	W1	H	D	D1	UPC
Al	CMZHC2AA	0.887	0.402	mm	146	64	13	19	71	6	6 28309 11401 5
Mg	CMZHC2AM	0.544	0.246								6 28309 17625 9
Zn	CMZHC2AZ	2.215	1.004	in	5.75	2.65	0.5	0.75	2.78	0.25	6 28309 11225 7




	PID	LB	KG		L	W	W1	H	D	D1	UPC
Al	CMZHC5AA	1.80	0.81	mm	203	102	14	19	110	6	6 28309 12312 3
Mg	CMZHC5AM	1.18	0.53								6 28309 24421 7
Zn	CMZHC5AZ	4.68	2.12	in	8	4	0.55	0.76	4.35	0.23	6 28309 11228 8


HULL ANODES




# HULL ANODES




	PID	LB	KG		L	W	H	D	ID	UPC
Al	CMPL505A	1.76	0.80	mm	210	70	25	80	18	6 28309 23771 4
Mg	CMPL505M	1.25	0.57							6 28309 23772 1
Zn	CMPL505Z	4.08	1.85	in	8.27	2.76	0.98	3.1	0.71	6 28309 23773 8




	PID	LB	KG		L	W	W1	H	D	UPC
Al	SGFL501A	1.459	0.662	mm	200	65	12	35	98	6 28309 19119 1
Mg	SGFL501M	0.998	0.453							6 28309 19134 4
Zn	SGFL501Z	3.048	1.383	in	7.9	1.6	1	2.4	3.85	6 28309 18113 0



	PID	LB	KG		L	W	H	UPC
Al	CMZH479A	4.043	1.834	mm	245	80	40	6 28309 24262 6
Mg	CMZH479M	2.610	1.184					6 28309 24418 7
Zn	CMZH479Z	10.331	4.686	in	9.6	3.1	1.6	6 28309 24154 4




	PID	LB	KG		L	W	H	D	UPC
Al	CMZH494A	8.437	3.827	mm	500	80	40	160	6 28309 24262 6
Mg	CMZH494M	5.348	2.426						6 28309 24418 7
Zn	CMZH494Z	21.997	9.978	in	19.6	3.1	1.6	6.3	6 28309 23851 3




	PID	LB	KG		L	W	H	D	UPC
Al	CMZH504A	2.229	1.011	mm	150	80	40	60	6 28309 24263 3
Mg	CMZH504M	1.413	0.641						6 28309 24419 4
Zn	CMZH504Z	5.813	2.637	in	5.9	3.1	1.6	2.4	6 28309 24155 1

**Martyr**  
**HULL ANODES**


# HULL ANODES




	PID	LB	KG		L	W	H	D	ID	UPC
Al	SGAO072A	0.42	0.19	mm	130	41	25	50	6	6 28309 22489 9
Mg	SGAO072M	0.26	0.12							6 28309 22722 7
Zn	SGAO072Z	1.10	0.50	in	5.12	1.63	0.97	1.97	0.24	6 28309 21769 3



	PID	LB	KG		L	W	H		UPC
Al	CMFL075A	0.591	0.268	mm	130	50	18	6	28309 24573 3
Mg	CMFL075M	0.374	0.170						28309 24612 9
Zn	CMFL075Z	1.543	0.700	in	5.12	1.97	0.71	6	28309 24463 7
Al	CMFL074A	1.267	0.575	mm	150	70	21.5	6	28309 24572 6
Mg	CMFL074M	0.802	0.364						28309 24611 2
Zn	CMFL074Z	3.306	1.500	in	5.91	2.76	0.85	6	28309 24462 0
Al	CMFL076A	0.928	0.421	mm	110	70	21.5	6	28309 24574 0
Mg	CMFL076M	0.588	0.267						28309 24614 3
Zn	CMFL076Z	2.425	1.100	in	4.33	2.76	0.85	6	28309 24465 1
Al	CMRF104A	6.428	2.916	mm	300	150	25	6	28309 24591 7
Mg	CMRF104M	4.074	1.848						28309 24630 3
Zn	CMRF104Z	16.755	7.600	in	11.8	5.91	1	6	28309 24480 4
Al	CMZH480A	5.408	2.453	mm	300	150	20	6	28309 24610 5
Mg	CMZH480M	3.428	1.555						28309 24649 5
Zn	CMZH480Z	14.109	6.400	in	11.8	5.91	0.79	6	28309 24571 9



	PID	LB	KG		L	W	D	H	UPC
Al	CMSH505A	6.834	3.100	mm	450	90	230	40	6 28309 24603 7
Mg	CMSH505M	5.070	2.300						6 28309 24642 6
Zn	CMSH505Z	15.212	6.900	in	17.7	3.54	9.06	1.57	6 28309 24564 1
Zn	CMSH514	15.4	7	mm	455	95	230	55	6 28309 24565 8
				in	17.91	3.74	9.06	2.16	



	PID	LB	KG		L	W	H	D	ID	UPC
Al	SGPL356A	0.37	0.17	mm	120	34	20	60	7	6 28309 18340 0
Mg	SGPL356M	0.24	0.11							6 28309 18391 2
Zn	SGPL356Z	0.88	0.40	in	4.72	1.34	0.79	2.36	0.28	6 28309 18290 8
Al	SGPL576A	0.59	0.27	mm	175	34	20	100	7	6 28309 18343 1
Mg	SGPL576M	0.37	0.17							6 28309 18394 3
Zn	SGPL576Z	1.44	0.66	in	6.89	1.34	0.79	3.94	0.28	6 28309 18293 9


HULL ANODES

Choose  
Aluminum

**Al premium**  
SALT AND BRACKISH WATER



Anodes for  
salt and brackish  
water and  
Magnesium

**Mg fresh**  
FRESH WATER ONLY  
for freshwater.




## HULL ANODES


	PID	LB	KG		L	W	W1	D	D1	H	UPC
Al	SGPL355A	0.75	0.34	mm	115	65	11	40	1	30	6 28309 18339 4
Mg	SGPL355M	0.55	0.25								6 28309 18390 5
Zn	SGPL355Z	1.52	0.69	in	4.53	2.56	0.43	1.57	0.04	1.18	6 28309 18289 2



	PID	LB	KG		L	W	D	H	ID	UPC
Al	SGPL573A	2.220	1.007	mm	175	90	80	25	13	6 28309 18342 4
Mg	SGPL573M	1.547	0.702							6 28309 18393 6
Zn	SGPL573Z	5.081	2.305	in	6.9	3.54	3.15	1	0.51	6 28309 18292 2
Al	SGPL572A	3.44	1.56	mm	200	110	130	30	14	6 28309 18341 7
Mg	SGPL572M	2.20	1							6 28309 18392 9
Zn	SGPL572Z	7.96	3.61	in	7.87	4.33	5.12	1.18	0.55	6 28309 18291 5




	PID	LB	KG		L	W	H	UPC
Al	SGSH16A	4.94	2.24	mm	300	80	40	6 28309 22624 4
Mg	SGSH16M	3.53	1.60					6 28309 22844 6
Zn	SGSH16Z	11.22	5.09	in	11.8	3.15	1.57	6 28309 22293 2
Al	SGSH25A	8.07	3.66	mm	320	147	40	6 28309 22625 1
Mg	SGSH25M	5.51	2.50					6 28309 22845 3
Zn	SGSH25Z	19.38	8.79	in	12.6	5.79	1.57	6 28309 22294 9



	PID	LB	KG		L	W	H	D	UPC
Al	SGVT070A	0.895	0.406	mm	147	60	25	80	6 28309 18224 3
Mg	SGVT070M	0.657	0.298						6 28309 18236 6
Zn	SGVT070Z	1.907	0.865	in	5.79	2.36	1	3.15	6 28309 18212 0
Al	SGVT507A	2.568	1.165	mm	290	53	30	200	6 28309 18226 7
Mg	SGVT507M	1.827	0.829						6 28309 18238 0
Zn	SGVT507Z	5.732	2.600	in	11.4	2.1	1.18	7.87	6 28309 18214 4
Al	SGVT240A	2.270	1.030	mm	250	62	30	140	6 28309 18225 0
Mg	SGVT240M	1.585	0.719						6 28309 18237 3
Zn	SGVT240Z	5.269	2.390	in	9.84	2.44	1.18	5.51	6 28309 18213 7
Al	SGVT695A	5.009	2.272	mm	350	75	35	200	6 28309 18366 0
Mg	SGVT695M	3.386	1.536						6 28309 18417 9
Zn	SGVT695Z	11.464	5.200	in	13.8	3	1.4	7.87	6 28309 18316 5

**Martyr**  
HULL ANODES


# HULL ANODES



	PID	LB	KG		L	W	H	D	UPC
Al	CMPL078A	0.271	0.123	mm	100	50	10	50	6 28309 24584 9
Mg	CMPL078M	0.172	0.079						6 28309 24623 5
Zn	CMPL078Z	0.707	0.321						0.7
Zn	CMPL419Z	6.17	2.80	mm	200	100	20	110	6 28309 24478 1
				in	7.87	3.94	0.79	4.33	
Al	CMPL400A	1.28	0.58	mm	150	60	25	80	6 28309 24587 0
Mg	CMPL400M	0.92	0.42						6 28309 24626 6
Zn	CMPL400Z	2.78	1.26						in
Al	CMPL401A	1.96	0.89	mm	180	75	25	115	6 28309 24588 7
Mg	CMPL401M	1.41	0.64						6 28309 24627 3
Zn	CMPL401Z	4.49	2.04						in
Al	CMPL378A	0.70	0.32	mm	120	50	20	75	6 28309 24586 3
Mg	CMPL378M	0.55	0.25						6 28309 24625 9
Zn	CMPL378Z	1.36	0.62						in
Al	CMFL075FA	0.59	0.27	mm	130	50	18	77	6 28309 23136 1
Mg	CMFL075FM	0.37	0.17						6 28309 23137 8
Zn	CMFL075FZ	1.54	0.70						in
Al	CMFL076FA	0.88	0.4	mm	110	70	20	40	6 28309 24575 7
Mg	CMFL076FM	0.62	0.28						6 28309 24613 6
Zn	CMFL076FZ	2.00	0.91						in
Al	CMPL357A	2.09	0.95	mm	220	60	30	160	6 28309 24585 6
Mg	CMPL357M	1.32	0.60						6 28309 24624 2
Zn	CMPL357Z	5.47	2.48						in
Al	CMFL465A	1.192	0.541	mm	145	67	20	70	6 28309 23655 7
Mg	CMFL465M	0.879	0.399						6 28309 23656 4
Zn	CMFL465Z	2.570	1.166						in
Al	CMPL574A	1.49	0.68	mm	190	55	25	75	6 28309 24590 0
Mg	CMPL574M	1.04	0.47						6 28309 24629 7
Zn	CMPL574Z	3.44	1.56						in
Zn	CMZH054Z	11.02	5.00	mm	300	80	28	180	6 28309 24566 5
				in	11.8	3.15	1.1	7.09	
Zn	CMRF484Z	17.64	8.00	mm	300	150	25	160	6 28309 24481 1
				in	11.8	5.91	1	6.3	


HULL ANODES

# HULL ANODES



	PID	LB	KG		L	W	H	D	UPC
Zn	CMSH090Z	6.61	3.00	mm	300	60	35.3	200	6 28309 24554 2
				in	11.8	2.36	1.39	7.87	
Zn	CMSH091Z	11.00	5.00	mm	330	80	35	200	6 28309 24555 9
				in	13	3.15	1.38	7.87	
Zn	CMSH125Z	19.84	9.00	mm	440	88	40	230	6 28309 24557 3
				in	17.3	3.46	1.57	9.06	
Zn	CMSH126Z	26.46	12.00	mm	445	92	50	230	6 28309 24558 0
				in	17.5	3.62	1.97	9.06	
Zn	CMSH127Z	30.86	14.00	mm	455	98	55	230	6 28309 24559 7
				in	17.9	3.86	2.17	9.06	

# RP SERIES ROUND PLATE ANODES




**BOLT-ON  
ROUND PLATE**


	PID	LB	KG		H	OD	ID	ID1	UPC
Al	CMRP4A	1.01	0.45	mm	25	100	50	12.5	6 28309 24708 9
Mg	CMRP4M	0.72	0.33						6 28309 24714 0
Zn	CMRP4Z	2.24	1.01	in	0.98	3.94	1.96	0.49	6 28309 24702 7
Al	CMRP5A	1.89	0.86	mm	25.4	125	28	10	6 28309 24709 6
Mg	CMRP5M	1.32	0.6						6 28309 24715 7
Zn	CMRP5Z	4.40	2	in	1	4.92	1.10	0.39	6 28309 24703 4
Al	CMRP6SA	2.45	1.11	mm	25.4	146	32	14.5	6 28309 25675 3
Mg	CMRP6SM	1.67	0.76						6 28309 25676 0
Zn	CMRP6SZ	5.85	2.65	in	1	5.75	1.26	0.57	6 28309 25674 6
Al	CMRP6A	3.59	1.63	mm	38	146	32	14.5	6 28309 24710 2
Mg	CMRP6M	2.39	1.09						6 28309 24716 4
Zn	CMRP6Z	8.82	4	in	1.49	5.75	1.26	0.57	6 28309 24704 1
Al	CMRP7A	3.15	1.43	mm	25	168	40	12	6 28309 24711 9
Mg	CMRP7M	2.08	0.94						6 28309 24717 1
Zn	CMRP7Z	7.83	3.55	in	0.98	6.61	1.57	0.47	6 28309 24705 8
Al	CMRP8A	4.56	2.07	mm	26	197	20	12	6 28309 24712 6
Mg	CMRP8M	2.98	1.35						6 28309 24718 8
Zn	CMRP8Z	11.50	5.22	in	1.02	7.75	0.79	0.47	6 28309 24706 5
Al	CMRP9A	5.87	2.66	mm	25.4	222.3	14	12	6 28309 24713 3
Mg	CMRP9M	3.81	1.73						6 28309 24719 5
Zn	CMRP9Z	14.92	6.77	in	1	8.75	0.55	0.47	6 28309 24707 2

**Martyr®**  
**HULL ANODES**

## ROUND PLATE ANODES



	PID	LB	KG		OD	ID	H	UPC
Al	SGBA001A	2.18	0.99	mm	125	15	38	6 28309 18384 4
Mg	SGBA001M	1.41	0.64					6 28309 18435 3
Zn	SGBA001Z	5.58	2.53	in	4.92	0.59	1.49	6 28309 18335 6
Al	SGBA506A	3.50	1.59	mm	140	16	40	6 28309 18385 1
Mg	SGBA506M	2.45	1.11					6 28309 18523 7
Zn	SGBA506Z	8.14	3.69	in	5.51	0.63	1.57	6 28309 24126 1
Al	SGBA597A	5.11	2.32	mm	200	17	25	6 28309 18386 8
Mg	SGBA597M	3.5	1.60					6 28309 18437 7
Zn	SGBA597Z	11.79	5.35	in	7.87	0.67	0.98	6 28309 18337 0



	PID	LB	KG		H	OD	UPC
Al	CMF90BA	0.831	0.377	mm	25	90	6 28309 24207 7
Mg	CMF90BM	0.527	0.239				6 28309 24333 3
Zn	CMF90BZ	2.17	0.984	in	1	3.5	6 28309 24129 2

**NEW  
PRODUCTS**

**HULL ANODES**